


Certificate of Conformity

Certificate Number: CN-PV-230271

On the basis of the tests undertaken, the sample<s> of the below product have been found to comply with the requirements of the referenced specification<s>/standard<s> at the time the tests were carried out. It does not imply that Intertek has performed any surveillance or control of the manufacture(s). The manufacturer(s) shall ensure that the manufacturing process assures compliance of the production units with the examined products mentioned in this certificate.

Applicant:	Ningbo AUX Solar Technology Co., Ltd. No. 17 Fenglin Road, Cicheng Town, Jiangbei District, Ningbo City, Zhejiang Province, China
Product:	Single phase on grid solar inverter
Ratings & Principle Characteristics:	See appendix of Certificate of Conformity
Model:	ASN-6SL, ASN-7SL, ASN-8SL
Brand Name<s>:	
Product Complies with:	UNE 217001: 2020 Requirements and tests for systems intended to avoid the energy transmission to the distribution network Type approval and compliance according to requirements of Anexo I, ITC-BT-40(RD 244/2019)
Certificate Issuing Office Name & Address:	Intertek Testing Services Ltd. Shanghai West Area, 2 nd Floor, No. 707, Zhangyang Road China (Shanghai) Pilot Free Trade Zone, Shanghai, P. R. China Accredited by ACCREDIA in accordance with ISO/IEC 17065:2012
Test Report No.<s>:	230417140GZU-003

Additional information in Appendix.



Signature

Certification Manager: Grady Ye
Date: 29 May 2023



PRD N° 306B

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

APPENDIX: Certificate of Conformity

This is an Appendix to Certificate of Conformity Number: CN-PV-230271

Model	ASN-6SL	ASN-7SL	ASN-8SL
PV Input			
Max. input power	9 kW	10.5 kW	12 kW
Max. input voltage	600V		
MPPT voltage range	80-550V		
Max. input current	16A/16A	27A/16A	
Max. short circuit current	20A/20A	35A/20A	
Output AC (Grid side)			
Rated output power	6 kW	7 kW	8 kW
Max. apparent output power	6.6kVA	7.7kVA	8.3kVA
Rated grid voltage	230V		
Rated grid frequency	50Hz/60Hz		
Rated output current	27.3A	31.8A	36.4A
Max. output current	29.1A	34A	36.4A
Power factor	1 default (0.8 leading...0.8 lagging)		
Ambient temperature range	-25...+60°C		
Degree of protection	IP65		
Software Version	DSP: D2301; ARM: A2301		


This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

APPENDIX: Certificate of Conformity

This is an Appendix to Certificate of Conformity Number: CN-PV-230271

List of installation components 1:

Type of appliance/ Installation.....:	Current Transducer
Manufacturer / Distributor / Installer:	LEM
Brand.....:	LEM
Model/Type.....:	TOP 90-S10/SP4
Rating.....:	Primary involved potential: 1000V Primary current: 0...90A Output current: 0...90mA Power accuracy:1%



This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.