



Certificate of Conformity

NO.: ENB2501130002E00101C

The following product has been tested by us with the listed standards and found in conformity with the council EMC directive 2014/30/EU. This is to certify that the specimen is in conformity with the assessment requirement mentioned follow. This certificate does not imply assessment to the production of the product.

Applicant : NINGBO AUX SOLAR TECHNOLOGY CO., LTD

Address : No. 17 Fenglin Road, Cicheng Town, Jiangbei District, Ningbo City, Zhejiang Province China

Manufacturer : NINGBO AUX SOLAR TECHNOLOGY CO., LTD

Address : No. 17 Fenglin Road, Cicheng Town, Jiangbei District, Ningbo City, Zhejiang Province China

Trade Mark : **AUXSOL**

EUT : Single phase on grid solar inverter

M/N : ASN-3.6SL-G2, ASN-4SL-G2, ASN-4.6SL-G2, ASN-5SL-G2, ASN-6SL-G2

Test Standards : EN IEC 61000-6-1:2019, EN IEC 61000-6-2:2019
EN IEC 61000-6-3:2021, EN IEC 61000-6-4:2019
EN IEC 61000-3-2:2019/A1:2021
EN 61000-3-3:2013/A2:2021/AC:2022-01
EN IEC 61000-3-11:2019, EN 61000-3-12:2011

Version : Ver.1.0



Tony Wei
Tony Wei/Manager
March 14, 2025

The certificate is based on a single evaluation of one sample of above-mentioned products, It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Ningbo) Co., Ltd.

Add: No. 8, Building 8, Lane 216, Qingyi Road, High-tech Zone, Ningbo, Zhejiang, China [Http://www.emtek.com.cn](http://www.emtek.com.cn) E-mail: nb@emtek.com.cn



Test Verification of Conformity


Verification Number: 250217008GZU-VOC002

On the basis of the tests undertaken, the sample<s> of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specification<s>/standard<s> at the time the tests were carried out. This verification is part of the full test report<s> and should be read in conjunction with it <them>.

This document can be used in support of a claim in meeting relevant EU legislation and mandatory Conformity Marking. And in accordance with EU law, the claim is the sole obligation of the Manufacturer/ Importer.

Applicant Name & Address:	Ningbo AUX Solar Technology Co., Ltd. No. 17 Fenglin Road, Cicheng Town, Jiangbei District, Ningbo City, Zhejiang Province, China
Product Description:	Single phase on grid solar inverter
Ratings & Principle Characteristics:	See Appendix: Test Verification of Conformity
Models/Type References:	ASN-3.6SL-G2, ASN-4SL-G2, ASN-4.6SL-G2, ASN-5SL-G2, ASN-6SL-G2
Brand Name:	AUXSOL
Relevant Standards/Directives:	IEC/EN 62109-1: 2010 Safety of power converters for use in photovoltaic power systems – Part 1: General requirements IEC/EN 62109-2: 2011 Safety of power converters for use in photovoltaic power systems – Part 2: Particular requirements for inverters Low Voltage Directive 2014/35/EU
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch. Room101/301/401/102/202/302/402/502/602/702/802, No. 7-2, Caipin Road, Huangpu District, Guangzhou, Guangdong, China
Date of Tests:	17 Feb 2025 – 20 April 2025
Test Report Number(s):	250217008GZU-005, 250217008GZU-006

Additional information in Appendix.



Signature

Name: Jason Fu

Position: Supervisor

Date: 29 May 2025

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 250217008GZU-VOC002.

Ratings & Principle
Characteristics:

MODEL	ASN-3.6SL-G2	ASN-4SL-G2
Input (DC)		
Max. input voltage	550V	
Rated input voltage	360V	
MPPT operating voltage range	40V-520V	
Max. input MPPT current	18/18A	
Max. input short circuit current per MPPT	22/22A	
Output (AC)		
Rated power	3.6kW	4kW
Max. AC apparent power	3.96kVA	4.4kVA
Rated output current	16.4A	18.2A
Max output current	18A	20A
Nominal grid voltage	1/N/PE, 220Vac/230Vac/240Vac	
Nominal frequency	50Hz/60Hz	
Power factor	1 default (0.8 Leading...0.8 Lagging)	
Ambient temperature range	-30...+60°C	
Degree of protection	IP66	
Protective Class	I	
Software Version	DSP: B0104; ARM: 3442	

Jason Fu

Signature

Name: Jason Fu

Position: Supervisor

Date: 29 May 2025

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 250217008GZU-VOC002.

Ratings & Principle
Characteristics:

MODEL	ASN- 4.6SL-G2	ASN- 5SL-G2	ASN- 6SL-G2
Input (DC)			
Max. input voltage	550V		
Rated input voltage	360V		
MPPT operating voltage range	40V-520V		
Max. input MPPT current	18/18A		
Max. input short circuit current per MPPT	22/22A		
Output (AC)			
Rated power	4.6kW	5kW	6kW
Max. AC apparent power	5.06kVA	5.5kVA	6kVA
Rated output current	20.9A	22.7A	27.3A
Max output current	23A	25A	27.3A
Nominal grid voltage	1/N/PE, 220Vac/230Vac/240Vac		
Nominal frequency	50Hz/60Hz		
Power factor	1 default (0.8 Leading...0.8 Lagging)		
Ambient temperature range	-30...+60°C		
Degree of protection	IP66		
Protective Class	I		
Software Version	DSP: B0104; ARM: 3442		

Jason Fu

Signature

Name: Jason Fu

Position: Supervisor

Date: 29 May 2025

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.